



PRODUCT

# Inspiration 灵感



# CONTENTS

## 目录

# 再生石

Dolomitic Travertine  
云砂洞石

Linear Travertine  
线画洞石

Romanite  
罗马洞石

Milan Travertine  
米兰洞石

Ando Cement  
和清水泥

Zen Ando Cement Board  
禅清水泥

Golden Faith  
流金岁月

Italian Ash mountain Stone  
意大利灰山石

Lime stone  
莱姆石

Stream limestone  
溪砂山岩

Dolomitic Marble Pillar  
云砂罗马柱

Ando Marble Pillar  
和清水泥罗马柱

Golden Sunset  
日落金山

skyline stone  
天涯石

Rusty Red  
锈红

Gold Sand  
金砂

Cloud-Dragon  
云龙

3D Wood Concrete Board  
3D艺术木浇筑板

Taishan Stone  
泰山石

Dunhuang Stone  
敦煌石

Rockcut Dolomitic Stone  
斧凿石云砂岩

Rockcut Lime Stone  
斧凿石-莱姆黄

Roman Pillar  
罗马圆柱

Crude Wood Ripple Board  
原木波纹板

Ancient Wood Board  
原始古木

Poly wood Board  
保利木

Italian Travertine  
意大利洞石

Marble  
大理石系列

Lime Dacite  
英安莱姆岩

Terrazzo Rough Stone  
水磨石

Rowena travertine  
罗维纳洞石

# 3D大板

Concrete Board  
水泥浇筑板

Ripple Board  
水波纹板

Wood Concrete Board  
木浇筑板

Travertino  
新洞石

Line Stone Board  
粗纹线石

Fine Line Stone Board  
新线石

Ridged Stone  
脊线石

Cliff Stone  
峭壁岩

Rust Board  
锈石板

Square Line Stone  
阡陌石

Round Line Stone  
脉络石

Foamed Aluminium Alloy Board  
发泡铝合金

New Rock Cut Stone  
大斧开石

Wood Fence  
木格

Cement Board  
清水泥板

Travertine Oceanic  
海洞石

Huge Travertine  
大洞石

Roman Huge Travertine  
罗马大洞石

Starmoon Stone  
星月石

Dacite  
英安岩

Moonscape Stone  
月谷石

Wood-cement board  
木模水泥板

Charcoal Burnt Wood Board  
炭化木

Coarse Charcoal Burnt Wood Board  
粗纹炭烧木

Aerolite  
失落遗迹

Sawing wood board  
锯台木纹板

Zen Wood Panel  
禅岩木纹

Big Weaving  
大麻编

Brick Wall  
土砖墙

Desert Stone  
荒漠石

# 工程板块

Weaving  
麻编

Woven  
人字编

Travertine  
洞石

Morocco  
摩洛哥

Rough Granite  
毛面花岗岩

Slate  
天山岩

Rockface Stone  
斧凿石

Cut stone  
布纹石

Muretto Stone  
岁月流水石

Age stone  
岁月石

# 夯土板

Danxia Rammed Earth Board  
丹霞夯土（细夯土板）

Gobi Rammed Earth Board  
戈壁夯土（粗夯土板）

Board  
城墙夯土板

Relic Rammed Earth Board  
遗迹夯土板（粗砂水泥板） Rampart Rammed Earth

Cave Rammed Earth Board  
窑洞夯土板



# CONTENTS



## 再生石



Dolomitic Travertine  
云砂洞石

Linear Travertine  
线画洞石

Romanite  
罗马洞石

Milan Travertine  
米兰洞石

Ando Cement  
和清水泥

Zen Ando Cement Board  
禅清水泥

Golden Faith  
流金岁月

Italian Ash mountain Stone  
意大利灰山石

Lime stone  
莱姆石

Stream limestone  
溪砂山岩

Dolomitic Marble Pillar  
云砂罗马柱

Ando Marble Pillar  
和清水泥罗马柱

Golden Sunset  
日落金山

skyline stone  
天涯石

Rusty Red  
锈红

Gold Sand  
金沙

Cloud-Dragon  
云龙

3D Wood Concrete Board  
3D艺术木浇筑板

Taishan Stone  
泰山石

Dunhuang Stone  
敦煌石

Rockcut Dolomitic Stone  
斧凿石云砂岩

Rockcut Lime Stone  
斧凿石-莱姆黄

Roman Pillar  
罗马圆柱

Crude Wood Ripple Board  
原木波纹板

Ancient Wood Board  
原始古木

Poly wood Board  
保利木

Italian Travertine  
意大利洞石

Marble  
大理石系列

Lime Dacite  
英安莱姆岩

Terrazzo Rough Stone  
水磨石

Rowena travertine  
罗维纳洞石

# Dolomitic Travertine

云砂洞石

类别  
软石

Category  
Pure soft stone


厚度  
3-5MM

Thickness  
3-5MM

适用场景  
墙面/背景墙

Usable area  
Wall/Background wall

Size:  
1200\*600 / 2400\*600 / 2400\*1200MM



安第斯白  
Andean white

棕黄色  
Claybank

深灰色  
Dark grey

安第斯红  
Andean red



# Linear Travertine

## 线画洞石

类别  
软石

Category  
Pure soft stone

厚度  
3-5MM

Thickness  
3-5MM

适用场景  
墙面/背景墙

Usable area  
Wall/Background wall

Size:  
1200\*600 / 2400\*600 / 2400\*1200MM



罗马白  
Roman white

罗马黄色  
Roman yellow

棕黄色  
Claybank

红色  
Red

浅灰色  
Light grey



# Romanite

## 罗马洞石

类别  
软石

Category  
Pure soft stone

厚度  
3-5MM

Thickness  
3-5MM

适用场景  
墙面/背景墙

Usable area  
Wall/Background wall

Size:  
1200\*600 / 2400\*600 / 2400\*1200MM



云山白色  
Cloudy white

云山黄色  
Cloudy yellow

云山灰色  
Cloudy grey



# Milan Travertine

米兰洞石

类别  
软石

Category  
Pure soft stone

厚度  
3-5MM

Thickness  
3-5MM

适用场景  
墙面/背景墙

Usable area  
Wall/Background wall

Size:  
1200\*600 / 2400\*600 / 2400\*1200MM



白色  
White

黄色  
Yellow

灰色  
Grey



# Ando Cement

和清水泥

类别  
软石

Category  
Pure soft stone

厚度  
3-5MM

Thickness  
3-5MM

适用场景  
墙面/背景墙

Usable area  
Wall/Background wall

Size:  
1200\*600 / 2400\*600 / 2400\*1200MM



清水泥色  
Cement grey

暖灰色  
Warm grey

棕灰色  
Taupe



# Zen Ando Cement Board

禅清水泥

类别  
软石

Category  
Pure soft stone

厚度  
3-5MM

Thickness  
3-5MM

适用场景  
墙面/背景墙

Usable area  
Wall/Background wall

Size:  
1200\*600 / 2400\*600 / 2400\*1200MM



六孔/暖灰色  
Warm grey





# Golden Faith

流金岁月

Category  
Pure soft stone

类别  
软石

Thickness  
3-5MM

厚度  
3-5MM

Usable area  
Wall/Background wall

适用场景  
墙面/背景墙

Size  
1200\*600  
2400\*600  
2400\*1200MM



晚霞红  
Sunset Glow

# Italian Ash Mountain Stone

意大利灰山石

Category  
Pure soft stone

类别  
软石

Thickness  
3-5MM

厚度  
3-5MM

Usable area  
Wall/Background wall

适用场景  
墙面/背景墙

Size: 1200\*600MM



诺曼底灰  
Normandy Grey



卡斯兰  
Caslan

Made by pressing natural stone powder, it has super toughness and can be used in flat and curved shapes, wrapping cylinders with a diameter of 20 mm without cracking. The surface texture is rich and can present various natural material textures, and its natural texture and texture



Product Brochure



# Lime stone 莱姆石

Category  
Pure soft stone

类别  
软石

Thickness  
3-5MM

厚度  
3-5MM

Usable area  
Wall/Background wall

适用场景  
墙面/背景墙

Size: 1200\*600MM



米黄色  
Off-white

深灰色  
Dark grey



Product Brochure



# Stream limestone

溪砂山岩

Category  
Pure soft stone

类别  
软石

Thickness  
3-5MM

厚度  
3-5MM

Usable area  
Wall/Background wall

适用场景  
墙面/背景墙

Size: 1200\*600MM



棕黄色  
Claybank

深灰色  
Dark grey

# Roman Pillar

## 罗马柱

类别  
软石

Category  
Pure soft stone

厚度  
2-7MM

Thickness  
2-7MM

适用场景  
墙面/背景墙

Usable area  
Wall/Background wall

Size:  
3000\*1200 / 3000\*600MM




云砂罗马柱棕黄色  
Dolomitic Marble Pillar  
Claybank



和清水泥罗马柱  
Ando Marble Pillar  
Cement grey



宝格丽罗马柱  
BULGARI  
Marble Pillar



# Golden Sunset

日落金山

Category  
Pure soft stone

类别  
软石

Thickness  
3-5MM

厚度  
3-5MM

Usable area  
Wall/Background wall

适用场景  
墙面/背景墙

Size: 1200\*600MM



银灰色  
silver grey



深灰色  
Dark grey



金黄色  
golden



深棕黄色  
dark claybank



Product Brochure



# Skyline stone

天涯石

Category  
Pure soft stone

类别  
软石

Thickness  
3-5MM

厚度  
3-5MM

Usable area  
Wall/Background wall

适用场景  
墙面/背景墙

Size: 1200\*600MM



尼罗银灰  
nile silver grey



尼罗冷灰  
nile grey



尼罗深灰  
nile dark grey



砂砾棕黄  
Gritty claybank



砂砾米黄  
Gritty beige



砂砾红  
Gritty red

# Rusty Red

## 锈红

类别  
软石

Category  
Pure soft stone

厚度  
3-5MM

Thickness  
3-5MM

适用场景  
墙面/背景墙

Usable area  
Wall/Background wall


Size:  
1200\*600 MM



红色  
Red



灰色  
Grey



Made by pressing natural stone powder, it has super toughness and can be used in flat and curved shapes, wrapping cylinders with a diameter of 20 mm without cracking. The surface texture is rich and can present various natural material textures, and its natural texture and texture

# GoldSand Cloud-Dragon

金沙/云龙

类别  
软石

Category  
Pure soft stone

厚度  
3-5MM

Thickness  
3-5MM

适用场景  
墙面/背景墙

Usable area  
Wall/Background wall

Size:  
1200\*600 MM



金沙  
Gold Sand



云龙  
Cloud-Dragon





# 3D Wood Concrete Board

3D艺术木浇筑板

Category  
Pure soft stone

类别  
软石

Thickness  
3-5MM

厚度  
3-5MM

Usable area  
Wall/Background wall

适用场景  
墙面/背景墙

Size: 2950\*1130 / 2950\*565MM



中灰色  
Medium grey

浅灰色  
Light grey



Product Brochure



# Taishan Stone

泰山石

Category  
Pure soft stone

类别  
软石

Thickness  
3-5MM

厚度  
3-5MM

Usable area  
Wall/Background wall

适用场景  
墙面/背景墙

Size: 3060\*1180MM



棕黄色  
Claybank



银白色  
Slivery White



Product Brochure

# Dunhuang Stone

敦煌石

Category  
Pure soft stone

类别  
软石

Thickness  
2-9MM

厚度  
2-9MM

Usable area  
Wall/Background wall

适用场景  
墙面/背景墙

Size: 2380\*600/2380\*300MM



# Rockcut Dolomitic Stone

斧凿石云砂/莱姆岩

类别  
软石

Category  
Pure soft stone

厚度  
3-5MM

Thickness  
3-5MM

适用场景  
墙面/背景墙

Usable area  
Wall/Background wall

Size: 2800\*600 / 900\*600MM



斧凿石云砂岩  
罗马黄色  
Roman yellow



斧凿石云砂岩  
棕黄色  
Claybank



斧凿石云砂岩  
灰色  
Grey



斧凿石云砂岩  
红色  
Red



莱姆岩/白色  
white



莱姆岩/米黄色  
Off-white





Made by pressing natural stone powder, it has super toughness and can be used in flat and curved shapes, wrapping cylinders with a diameter of 20 mm without cracking. The surface texture is rich and can present various natural material textures, and its natural texture and texture

# Roman Pillar

## 罗马圆柱

Category  
Pure soft stone

类别  
软石

Thickness  
3-9MM

厚度  
3-9MM

Usable area  
Wall/Background wall

适用场景  
墙面/背景墙

Size: 3000\*600MM



米兰白 (凹/凸)  
Milan white  
concave/convex

米兰灰 (凹/凸)  
Milan grey  
concave/convex

米兰红 (凹/凸)  
Milan red  
concave/convex



莱姆黄 (凹/凸)  
Lime yellow  
concave/convex

水泥灰 (凹/凸)  
Cement grey  
concave/convex





Made by pressing natural stone powder, it has super roughness and can be used in flat and curved shapes, wrapping cylinders with a diameter of 20 mm without cracking. The surface texture is rich and can present various natural material textures, and its natural texture and texture

# Crude Wood Ripple Board

## 原木波纹板

Category Pure soft stone	类别 软石
Thickness 3-5MM	厚度 3-5MM
Usable area Wall/Background wall	适用场景 墙面/背景墙

Size: 3000\*1200 / 3000\*600MM



浅黄 Light yellow      黄色 Yellow      浅棕色 Light brown      深棕色 Dark brown



# Ancient Wood Board

原始古木

Category  
Pure soft stone

类别  
软石

Thickness  
3-5MM

厚度  
3-5MM

Usable area  
Wall/Background wall

适用场景  
墙面/背景墙

Size: 2400\*1190 / 2400\*590 / 1200\*190MM



深棕色  
Dark brown

棕色  
Brown

卡其色  
Khaki

# Poly wood Board

## 保利木

类别  
软石

Category  
Pure soft stone

厚度  
3-5MM

Thickness  
3-5MM

适用场景  
墙面/背景墙


Usable area  
Wall/Background wall

Size:  
3000\*1190 / 3000\*590 / 1500\*190MM



黄色  
Yellow

浅咖色  
Light brown



Made by pressing natural stone powder, it has super toughness and can be used in flat and curved shapes, wrapping cylinders with a diameter of 20 mm without cracking. The surface texture is rich and can present various natural material textures, and its natural texture and texture

Made by pressing natural stone powder, it has super-toughness and can be used in flat and curved shapes, wrapping cylinders with a diameter of 20 mm without cracking. The surface texture is rich and can present various natural material textures, and its natural texture and texture

# Italian Travertine

## 意大利洞石

**Category**  
Pure soft stone

**类别**  
软石

**Thickness**  
3-5MM

**厚度**  
3-5MM

**Usable area**  
Wall/Background wall

**适用场景**  
墙面/背景墙

Size: 2900\*1200MM



红洞石  
Red Travertine



灰洞石  
Grey Travertine



啡洞石  
Brown Travertine



白洞石  
White Travertine



木纹浅啡  
Light Brown Wood



木纹黄色  
Yellow Wood



木纹浅灰  
Light Grey Wood

# Marble

## 大理石

类别  
软石

Category  
Pure soft stone


厚度  
2-3MM

Thickness  
2-3MM


适用场景  
墙面/背景墙

Usable area  
Wall/Background wall

Size: 1200x600/3000\*1200MM



宝格丽  
BULGARI




黑白根  
Nero Margiua



卡斯兰  
Caslan



露娜浅灰  
Runa Light Grey



露娜浅啡  
Runa Light Brown



露娜浅黄  
Runa Light Yellow





# Lime Dacite

英安莱姆岩

Category  
Pure soft stone

类别  
软石

Thickness  
3-5MM

厚度  
3-5MM

Usable area  
Wall/Background wall

适用场景  
墙面/背景墙

Size: 3060\*1180MM



莱姆白  
White Lime

莱姆黄  
Yellow Lime

# Terrazzo Rough Stone

水磨石

类别  
软石

Category  
Pure soft stone

厚度  
3-5MM

Thickness  
3-5MM

适用场景  
墙面/背景墙

Usable area  
Wall/Background wall


Size: 1200\*600MM



浅灰色  
Light grey



灰色  
Grey



深灰色  
Dark grey



黄色  
Yellow



# Rowena Travertine

罗维纳洞石

类别  
软石

Category  
Pure soft stone

厚度  
3-5MM

Thickness  
3-5MM

适用场景  
墙面/背景墙

Usable area  
Wall/Background wall

Size:  
1200\*600 / 2400\*600 / 2400\*1200MM



米白色  
Beige


奶黄色  
Cream Yellow

灰色  
Grey

浅棕色  
Light brown

棕灰色  
Taupe





## 3D大板

Concrete Board  
水泥浇筑板

Ripple Board  
水波纹板

Wood Concrete Board  
木浇筑板

Travertino  
新洞石

Line Stone Board  
粗纹线石

Fine Line Stone Board  
新线石

Ridged Stone  
脊线石

Cliff Stone  
峭壁岩

Rust Board  
锈石板

Square Line Stone  
阡陌石

Round Line Stone  
脉络石

Foamed Aluminium Alloy Board  
发泡铝合金

New Rock Cut Stone  
大斧开石

Wood Fence  
木格

Cement Board  
清水泥板

Travertine Oceanic  
海洞石

Huge Travertine  
大洞石

Roman Huge Travertine  
罗马大洞石

Starmoon Stone  
星月石

Dacite  
英安岩

Moonscape Stone  
月谷石

Wood-cement board  
木模水泥板

Charcoal Burnt Wood Board  
炭化木

Coarse Charcoal Burnt Wood Board  
粗纹炭烧木

Aerolite  
失落遗迹

Sawing wood board  
锯台木纹板

Zen Wood Panel  
禅岩木纹

Big Weaving  
大麻编

Brick Wall  
土砖墙

Desert Stone  
荒漠石

# CONCRETE BOARD

水泥浇筑板

类别  
软石

Category  
Pure soft stone


厚度  
3-5MM

Thickness  
3-5MM

适用场景  
墙面/背景墙

Usable area  
Wall/Background wall

Size: 3060\*1200MM / 3060\*600MM



纯白色  
Pure white

米白色  
Beige

浅灰色  
Light grey

中灰色  
Medium grey



# RIPPLE BOARD

## 水波纹板

类别  
软石

Category  
Pure soft stone


厚度  
2-7MM

Thickness  
2-7MM

适用场景  
墙面/背景墙

Usable area  
Wall/Background wall

Size: 3000\*600MM



米白色  
Beige

水泥灰色  
Grey

红色  
Red



# Wood Concrete Board

木浇筑板

类别  
软石

Category  
Pure soft stone


厚度  
3-5MM

Thickness  
3-5MM

适用场景  
墙面/背景墙

Usable area  
Wall/Background wall

Size: 2950\*1130 / 2950\*565MM



浅灰色  
Light grey

中灰色  
Medium grey



# Travertino

## 新洞石

类别  
软石

Category  
Pure soft stone


厚度  
3-5MM

Thickness  
3-5MM

适用场景  
墙面/背景墙

Usable area  
Wall/Background wall

Size: 2940\*580MM



纯白色  
Pure whitet

米白色  
Beige

浅灰色  
Light grey

中灰色  
Medium grey

深灰色  
Dark grey





# Line Stone Board

粗纹线石

类别  
软石

Category  
Pure soft stone


厚度  
4-8MM

Thickness  
4-8MM

适用场景  
墙面/背景墙

Usable area  
Wall/Background wall

Size: 2400\*600MM



米白色  
Beige

深灰色  
Dark grey



Product Brochure



# Fine Line Stone Board 新线石

类别  
软石

Category  
Pure soft stone

厚度  
3-5MM

Thickness  
3-5MM

适用场景  
墙面/背景墙

Usable area  
Wall/Background wall

Size: 3000\*600MM



米白色  
Beige

水泥灰色  
Dark grey



Made by pressing natural stone powder, it has super toughness and can be used in flat and curved shapes, wrapping cylinders with a diameter of 20 mm without cracking. The surface texture is rich and can present various natural material textures, and its natural texture and texture

# Ridged Stone

脊线石

Category  
Pure soft stone

类别  
软石

Thickness  
2-8MM

厚度  
2-8MM

Usable area  
Wall/Background wall

适用场景  
墙面/背景墙

Size: 2950\*670MM



纯白色  
Pure white

米白色  
Beige

灰色  
Grey





# Cliff Stone

## 峭壁岩

Category  
Pure soft stone

类别  
软石


Thickness  
2-9MM

厚度  
2-9MM

Usable area  
Wall/Background wall

适用场景  
墙面/背景墙

Size: 2380\*300MM



米白色  
Beige

浅黄色  
Light yellow

深灰色  
Dark grey



# Rust Board

锈石板

Category  
Pure soft stone

类别  
软石

Thickness  
3-5MM

厚度  
3-5MM

Usable area  
Wall/Background wall

适用场景  
墙面/背景墙

Size: 2940\*970MM / 3060\*1180MM



中格纹  
Medium plaid

水洗面  
Bush-hammered



# Square Line Stone

## 阡陌石

Category  
Pure soft stone

类别  
软石

Thickness  
2-8MM

厚度  
2-8MM

Usable area  
Wall/Background wall

适用场景  
墙面/背景墙

Size: 2800\*580MM



米白色  
Beige

红色  
Red

深灰色  
Dark grey

# Round Line Ston 脉络石

类别  
软石

Category  
Pure soft stone

厚度  
2-8MM

Thickness  
2-8MM

适用场景  
墙面/背景墙

Usable area  
Wall/Background wall


Size: 2800\*595MM



米白色  
Beige

深灰色  
Dark grey

红色  
Red



# Foamed Aluminium Alloy Board

## 发泡铝合金

类别  
软石

Category  
Pure soft stone

厚度  
3-5MM

Thickness  
3-5MM

适用场景  
墙面/背景墙

Usable area  
Wall/Background wall

Size: 2400\*600 / 2400\*1200MM



金属银色  
Silver



金属金色  
Golden





# New Rock Cut Stone

## 大斧开石

**Category**  
Pure soft stone

**类别**  
软石

**Thickness**  
3-8MM

**厚度**  
3-8MM

**Usable area**  
Wall/Background wall

**适用场景**  
墙面/背景墙

Size: 2998\*1135MM



米白色  
Beige



深灰色  
Dark grey



Made by pressing natural stone powder, it has super toughness and can be used in flat and curved shapes, wrapping cylinders with a diameter of 20 mm without cracking. The surface texture is rich and can present various natural material textures, and its natural texture and texture

# Wood Fence

木格

Category	类别
Pure soft stone	软石
Thickness	厚度
3-5MM	3-5MM
Usable area	适用场景
Wall/Background wall	墙面/背景墙

Size: 2900\*300MM



原木色  
Original

红木色  
Red

# Cement Board

清水泥板

类别  
软石

Category  
Pure soft stone

厚度  
3-5MM

Thickness  
3-5MM

适用场景  
墙面/背景墙

Usable area  
Wall/Background wall



浅灰色  
Light grey



中灰色  
Medium grey



# Travertine Oceanic

海洞石

类别  
软石

Category  
Pure soft stone

厚度  
3-5MM

Thickness  
3-5MM

适用场景  
墙面/背景墙

Usable area  
Wall/Background wall

Size: 3000\*1200 / 2400\*1200 / 2400\*600MM



米白色  
Beige



渐变灰色  
Gradient grey



红色  
Red



# Huge Travertine

大洞石

类别  
软石

Category  
Pure soft stone

厚度  
3-5MM

Thickness  
3-5MM

适用场景  
墙面/背景墙

Usable area  
Wall/Background wall

Size: 2400\*1200 / 2400\*600MM



纯白色  
Beige



米白色  
Pure white



水泥色  
Concrete



黄色窑变色  
Gradient Yellow





# Roman Huge Travertine

## 罗马大洞石

Category Pure soft stone	类别 软石
Thickness 3-5MM	厚度 3-5MM
Usable area Wall/Background wall	适用场景 墙面/背景墙

Size: 2900\*1200MM



象牙白 Ivory white      白金洞石 White golden      金锈洞石 Golden Rust Cave      金灰洞石 Golden grey

Made by pressing natural stone powder, it has super toughness and can be used in flat and curved shapes, wrapping cylinders with a diameter of 20 mm without cracking. The surface texture is rich and can present various natural material textures, and its natural texture and texture

# Starmoon Stone

星月石

类别  
软石

Category  
Pure soft stone

厚度  
5-13MM

Thickness  
5-13MM

适用场景  
墙面/背景墙

Usable area  
Wall/Background wall

Size: 3200\*1180MM



米白色  
Beige

黄色  
Yellow

浅灰色  
Light grey

深灰色  
Dark grey

红色  
Red






# Dacite

英安岩

Category	类别
Pure soft stone	软石
Thickness	厚度
3-5MM	3-5MM
Usable area	适用场景
Wall/Background wall	墙面/背景墙

Size : 3060\*1180MM



米白色  
Beige

深灰色  
Dark grey

# Moonscape Stone

月谷石

Category  
Pure soft stone

类别  
软石

Thickness  
2-13MM

厚度  
2-13MM

Usable area  
Wall/Background wall

适用场景  
墙面/背景墙

Size: 1600\*580MM



米白色  
Beige

浅灰  
Light grey

黄色  
Yellow

深灰色  
Dark grey

红色  
Red

Made by pressing natural stone powder, it has super toughness and can be used in flat and curved shapes, wrapping cylinders with a diameter of 20 mm without cracking. The surface texture is rich and can present various natural material textures, and its natural texture and texture



# Wood-cement board

## 木模水泥板

类别  
软石

Category  
Pure soft stone


厚度  
3-5MM

Thickness  
3-5MM

适用场景  
墙面/背景墙

Usable area  
Wall/Background wall

Size: 3000\*600MM



浅灰色  
Light grey

中灰色  
Medium grey



Made by pressing natural stone powder, it has super toughness and can be used in flat and curved shapes, wrapping cylinders with a diameter of 20 mm without cracking. The surface texture is rich and can present various natural material textures, and its natural texture and texture

# Charcoal Burnt Wood

炭化木/粗纹炭烧木

类别  
软石

Category  
Pure soft stone

厚度  
3-5MM

Thickness  
3-5MM

适用场景  
墙面/背景墙

Usable area  
Wall/Background wall

Size: 3030\*550MM

3000\*580/3000\*1180MM



炭烧木 (深灰)  
Dark grey



粗纹炭烧木 (深灰)  
Dark grey





# Aerolite

失落遗迹

Category	类别
Pure soft stone	软石
Thickness	厚度
5-17MM	5-17MM
Usable area	适用场景
Wall/Background wall	墙面/背景墙

Size: 2820\*1130MM




暖白色  
beige



咖灰色  
coffee grey



大地色  
earthy brown




# Sawing wood board

## 锯台木纹板

Category	类别
Pure soft stone	软石
Thickness	厚度
7-10MM	7-10MM
Usable area	适用场景
Wall/Background wall	墙面/背景墙

Size: 3150\*580MM



米白色 Beige      黄木色 Yellow wood      窑变棕色 Gradient brown      深灰色 Dark grey

# Zen Wood Panel

禅岩木纹

Category  
Pure soft stone

类别  
软石

Thickness  
3-5MM

厚度  
3-5MM

Usable area  
Wall/Background wall

适用场景  
墙面/背景墙

Size: 2900\*600MM



米白色  
Beige



黄木色  
Yellow wood



深灰色  
Dark grey

Made by pressing natural stone powder, it has super toughness and can be used in flat and curved shapes, wrapping cylinders with a diameter of 20 mm without cracking. The surface texture is rich and can present various natural material textures, and its natural texture and texture



# Big Weaving

## 大麻编

类别  
软石

Category  
Pure soft stone

厚度  
3-5MM

Thickness  
3-5MM

适用场景  
墙面/背景墙

Usable area  
Wall/Background wall

Size: 3000\*1200 / 3000\*600MM



米白色  
Beige



土黄色  
Khaki



灰色  
Grey



橘红色  
Jacinth



# Brick Wall

土砖墙

类别  
软石

Category  
Pure soft stone

厚度  
3-7MM

Thickness  
3-7MM

适用场景  
墙面/背景墙

Usable area  
Wall/Background wall

Size: 2900\*1160MM



米白色  
Beige

土黄色  
Khaki



Made by pressing natural stone powder, it has super toughness and can be used in flat and curved shapes, wrapping cylinders with a diameter of 20 mm without cracking. The surface texture is rich and can present various natural material textures, and its natural texture and texture

# Desert Stone

## 荒漠石

类别  
软石

Category  
Pure soft stone

厚度  
3-8MM

Thickness  
3-8MM

适用场景  
墙面/背景墙

Usable area  
Wall/Background wall

Size: 3160\*1180MM




米白色  
Beige



土黄色  
Khaki





# 工程板块



Weaving  
麻编

Travertine  
洞石

Rough Granite  
毛面花岗岩

Rockface Stone  
斧凿石

Cut stone  
布纹石

Muretto Stone  
岁月流水石

Age stone  
岁月石

Woven  
人字编

Morocco  
摩洛哥

Slate  
天山岩

# Weaving

## 麻编

类别  
软石

Category  
Pure soft stone

厚度  
3-5MM

Thickness  
3-5MM

适用场景  
墙面/背景墙

Usable area  
Wall/Background wall

Size: 1500\*600MM



米白色  
Beige

土黄色  
Khaki

橘红色  
Jacinth

灰色  
Grey



# Travertine

## 洞石

类别  
软石

Category  
Pure soft stone

厚度  
2.5-4.5MM

Thickness  
2.5-4.5MM

适用场景  
墙面/背景墙

Usable area  
Wall/Background wall

Size: 1200\*600MM



纯白色  
Pure white



米白色  
Beige



水泥色  
Concrete



黄色窑变色  
Gradient yellow




白金洞石  
White Golden



金灰洞石  
Golden Grey



灰色窑变色  
Gradient grey



# Rough Granite

毛面花岗岩

类别  
软石

Category  
Pure soft stone

厚度  
3-5MM

Thickness  
3-5MM

适用场景  
墙面/背景墙

Usable area  
Wall/Background wall

Size: 1200\*600MM



纯白色  
Pure white

米白色  
Beige

深灰色  
Dark grey



# Rockface Stone

斧凿石

类别  
软石

Category  
Pure soft stone

厚度  
3-5MM

Thickness  
3-5MM

适用场景  
墙面/背景墙

Usable area  
Wall/Background wall

Size: 900\*600MM



米白色  
Beige

深灰色  
Dark grey



# Cut Stone

布纹石

类别  
软石

Category  
Pure soft stone

厚度  
3-5MM

Thickness  
3-5MM

适用场景  
墙面/背景墙

Usable area  
Wall/Background wall

Size: 1200\*600MM



米白色  
Beige

灰色  
Grey

深灰色  
Dark grey

红色  
Red





# Muretto Stone

## 岁月流水石

类别  
软石

Category  
Pure soft stone

厚度  
3-5MM

Thickness  
3-5MM

适用场景  
墙面/背景墙

Usable area  
Wall/Background wall

Size: 600\*300MM



米白色  
Beige

浅灰  
Light grey

深灰色  
Dark grey





# Age Stone

岁月石

Category  
Pure soft stone

类别  
软石

Thickness  
3-5MM

厚度  
3-5MM

Usable area  
Wall/Background wall

适用场景  
墙面/背景墙

Size: 1200\*600MM



米白色  
Beige

中灰色  
Medium grey

深灰色  
Dark grey

土黄色  
Khaki



黄色窑变色  
Gradient yellow

灰色窑变色  
Gradient grey



Product Brochure





# Woven

## 人字编

Category  
Pure soft stone

类别  
软石

Thickness  
3-5MM

厚度  
3-5MM

Usable area  
Wall/Background wall

适用场景  
墙面/背景墙

Size: 1460\*590MM



橘红色  
Jacinth

土黄色  
Khaki

灰色  
grey

米白色  
Beige



# Morocco

摩洛哥

Category  
Pure soft stone

Thickness  
3-5MM

Usable area  
Wall/Background wall


Size: 1460\*590MM



橘红色  
Jacinth



土黄色  
Khaki



灰色  
grey



米白色  
Beige

# Slate

天山岩

类别  
软石

Category  
Pure soft stone

厚度  
2.5-3.5MM

Thickness  
2.5-3.5MM

适用场景  
墙面/背景墙

Usable area  
Wall/Background wall

Size: 1200\*600MM



纯白色  
Pure white



米白色  
Beige



浅灰  
Light grey



中灰色  
Medium grey



深灰色  
Dark grey



黄色窑变色  
Gradient yellow





# CONTENTS



## 夯土板



Danxia Rammed Earth Board  
丹霞夯土（细夯土板）

Gobi Rammed Earth Board  
戈壁夯土（粗夯土板）

Rampart Rammed Earth Board  
城墙夯土板

Relic Rammed Earth Board  
遗迹夯土板（粗砂水泥板）

Cave Rammed Earth Board  
窑洞夯土板



# Danxia Rammed Earth Board

## 丹霞夯土

**Category**  
Pure soft stone

**Thickness**  
3-5MM

**Usable area**  
Wall/Background wall


Size: 2400\*580MM



米白色  
Beige



浅灰  
Light grey



中灰色  
Medium grey



深灰色  
Dark grey



浅黄色  
Light yellow



土黄色  
Khaki



土红色  
Brown red



西瓜红色  
Watermelon red

Made by pressing natural stone powder, it has super toughness and can be used in flat and curved shapes, wrapping cylinders with a diameter of 20 mm without cracking. The surface texture is rich and can present various natural material textures, and its natural texture and texture



Product Brochure

# Danxia Rammed Earth Board

丹霞夯土

Category  
Pure soft stone

Thickness  
3-5MM

Usable area  
Wall/Background wall

Size: 2400\*580MM



渐变三色  
Gradient color



Made by pressing natural stone powder, it has super toughness and can be used in flat and curved shapes, wrapping cylinders with a diameter of 20 mm without cracking. The surface texture is rich and can present various natural material textures, and its natural texture and texture

# Gobi Rammed Earth Board

戈壁夯土

**Category**  
Pure soft stone

**Thickness**  
3-5MM

**Usable area**  
Wall/Background wall

Size: 2980\*1200MM



A款  
Pattern A

B款  
Pattern B

C款  
Pattern C



# Gobi Rammed Earth Board


## 戈壁夯土

Category  
Pure soft stone

Thickness  
3-5MM

Usable area  
Wall/Background wall

Size: 2980\*1200MM



米白色  
Beige

浅灰色  
Light grey

中灰色  
Medium grey



深灰色  
Dark grey

土红色  
Brown red

黄色  
Yellow



# Rampart Rammed Earth Board

## 城墙夯土板

**Category**  
Pure soft stone

**Thickness**  
3-5MM

**Usable area**  
Wall/Background wall

Size: 2940\*570MM



米白色  
Beige

灰白色  
Grey white

浅灰  
Light grey

深灰色  
Dark grey



浅黄色  
Light yellow

土黄色  
Khaki

土红色  
Brown red

西瓜红色  
Watermelon red

Made by pressing natural stone powder, it has super toughness and can be used in flat and curved shapes, wrapping cylinders with a diameter of 20 mm without cracking. The surface texture is rich and can present various natural material-textures, and its natural texture and texture



Product Brochure

# Relic Rammed Earth Board


遗迹夯土板 (粗砂水泥板)

Category  
Pure soft stone

Thickness  
3-5MM

Usable area  
Wall/Background wall

Size: 2940\*1160MM



中灰色 (单色)  
Medium grey

窑变灰色  
Gradient grey

窑变红色  
Gradient red



Made by pressing natural stone powder, it has super toughness and can be used in flat and curved shapes, wrapping cylinders with a diameter of 20 mm without cracking. The surface texture is rich and can present various natural material textures, and its natural texture and texture



# Cave Rammed Earth Board

窑洞夯土板

**Category**  
Pure soft stone

**Thickness**  
3-5MM

**Usable area**  
Wall/Background wall

Size: 2940\*570MM



浅灰  
Light grey



深灰色  
Dark grey



浅黄色  
Light yellow



土黄色  
Khaki



土红色  
Brown red



In the field of indoor and outdoor decoration, including walls, background walls, landscape walls, etc. Its unique texture and color can create a natural and simple decorative effect, suitable for various styles of buildings and indoor spaces. Both modern minimalist style and classical luxury style can add unique charm to the space.

Dissi ilit lique iflicent aciisitia commis.